

NIGHT SYSTEMS

Poliform

CERTIFICATE OF ORIGIN AND WARRANTY

CONTENTS

IT	POLIFORM QUALITY	3
	WARRANTY	4
	AN OVERVIEW OF MATERIALS	5
	CARE INSTRUCTIONS	7
	MATERIALS TECHNICAL DESCRIPTION	8

NIGHT SYSTEMS
 SENZAFINE WARDROBES AND WALK-IN CLOSET
 UBIK WALK-IN CLOSET
 LEXINGTON WALK-IN CLOSET
 CERTIFICATE OF ORIGIN AND WARRANTY

Welcome to Poliform quality

Thank you for buying a Poliform product. This Certificate is our guarantee of authenticity and contains all the information you'll need to give it the best possible care. All Poliform products reflect our manufacturing philosophy, which guarantees you the highest quality down to the last detail. Aesthetics that are always contemporary and essential; technological research directed at optimal functionality; a selection of the best materials to ensure the utmost reliability over the lifetime of the product.

The meaning of quality

Quality living as an essential ingredient of everyday life: the Poliform collection is the result of our continuing commitment to offer consumers the widest variety of choice for building their own domestic space. Behind Poliform quality is our heritage of "woodworking expertise" as part of Brianza's tradition of workmanship, which, by constantly evolving, has become cutting edge technological know-how. Having decided in 1970 to enter into furniture production on an industrial scale, Poliform has set a goal of uniting quality and reliability with a design approach that is always innovative and distinguished by exceptional originality. Poliform products closely follow the latest trends: from our modular items to accessories, from daytime to evening, our collection is distinguished by a variety of styles that are contemporary and evolve and adapt to our changing lifestyles.

Quality in design

The wide variety of styles in our collection reflects Poliform's capacity to meet the challenges of every aspect of home living. Each design and product has varying functional needs of its own: as an example, our modular furniture is designed with maximum versatility in mind. Our wardrobes must offer the maximum in customisation both at aesthetic and interior design levels. Each element of home decoration possesses its own functional character which Poliform has sought to fully develop, imbuing it with the value added of stylistic quality and creativity – the result of collaboration with some of the most respected Italian and international designers.

The quality of "Made in Italy"

Each Poliform product is made in Italy and relies on an industrial network that includes some of the most respected European and

international suppliers.

The following values are invested in making every Poliform product a 100% "Made in Italy" item: unbounded creativity, a global reputation for furniture since 1942 and specific and cutting-edge technological know-how. These are all qualities that are fundamental to a business that is constantly striving to satisfy its customers and their demands.

Innovation in the service of the consumer

Innovation is a characteristic that has always been part of the Poliform manufacturing culture. With the constant aim of satisfying the consumer, Poliform has always driven its research into style and technology toward design that is concrete and quality-oriented. Poliform's level of innovation can be gauged by its selection of the highest-quality materials, which are subject to inspection and carefully tested, and by its focus on reliability, safety and durability. Research into style is never-ending and always aims at successfully interpreting contemporary trends and at providing you with unrestricted freedom in matching your taste with our wide selection of products.

The Poliform warranty

Our warranty is valid for 2 years from the date of purchase and covers all manufacturing defects. The warranty period enters into force from the date printed on your receipt or sales slip. You may be asked to present proof of purchase when requesting service.

The warranty is non-transferable and is valid only for the original purchaser.

It covers repair or replacement of unusable or defective parts free of charge during the warranty period after inspection and acceptance by Poliform or its agent.

Natural variations in the colour of the wood, changes in colour under ambient or artificial light, slight variations in dimensions owing to high humidity or dry conditions and the grain of wood, knots or other natural characteristics of wood products are not covered by the warranty.

As to suede and leather, occasional natural marks, wrinkles, changes in brightness and tone, specks and slight imperfections folds due to extension after regular use, are not considered defects but are the distinctive traits of natural and authentic products. In some cases (aged-looking leather and nubuck leather, above all with light colours), these features are especially marked, as the kind of tanning for these leathers tends to point out the pureness of the product and not to cover it with painting or pressure print.

The staining effect on nubuck leather is to be considered a characteristic trait of the product. For nubuck leather, prolonged contact with the grease on our skin and hair may cause dark stains to appear over time. Some types of fabric show features due to the composition and the kind of manufacturing that aren't to be considered as defects. For example: "staple" or "streaked" and "crumpled effect" for linen "spotted effect" or "curl", the "light/dark effect" and the "imprint effect" for velvets and chenille.

In fabrics, suedes or leather, each production lot can present slight variations in colour as compared to samples or products produced in the past.

The warranty excludes damage resulting from careless or incorrect furniture installation, potential damage from accidents such as that resulting from a fall, impact, natural disaster, fire and, in any case, all defects that cannot be attributed to defects in the manufacture of the product.

Moreover, the warranty is not valid in the event that our products are disassembled,

modified or repaired by anyone other than authorised poliform personnel. Damage due to poor upkeep or improper use of the product are not considered defects of manufacture. You will find useful recommendations in the instruction booklet regarding the use and care of your product. If you have any doubts or for further information, consult the Poliform reseller where your product was purchased. For any situation not expressly covered by this warranty, Legal provisions shall apply.

Poliform know-how

A good understanding of your Poliform product can help you to appreciate it even more. Poliform products are made from the finest components and with the help of the most recent technology, coupled with careful observance of safety standards.

Safety standards

Poliform uses Class EPF-S E0.5 wood-based panels, the most reliable in conforming to EU standards EN120 and EN-717-2 with respect to formaldehyde release.

With respect to varnish, Poliform exclusively uses polyurethane coatings free of heavy metals and volatile organic compounds (VOC) belonging to the various Classes within table A1 of the Italian Ministerial Decree of 12 July 1990 and/or Classes 1 and 2 within table D of the Italian Ministerial Decree of 12 July 1990.

Structural materials

1 Veneered particle board panel

Panel composed of wood particles with a thin layer of solid wood, called veneer, less than 0,7 mm thick.

2 Particle board panels

Wood-based panels made from wood particles (shavings, wood chips, etc.) The wood particles are held together with hardening synthetic resin and then heat pressurised. Particle board panels use an assortment of less costly wood which is generally the byproduct of other processes: this is why this type of product is of interest from an ecological standpoint.

3 Medium-density fibreboard (MDF)

An engineered wood-based product composed of wood fibres or fascicles of wood fibre submitted to processing by a thermomechanical defibrator under high temperature and pressure. The fibres are held together with hardening synthetic resin.

4 Multilaminate board

Wood-based panel made up of more than 3 layers of wood layers superimposed so that the grains of adjacent layers are at a right angle.

5 Wood veneer or peelings

Thin slices of wood between 3 and 0.30 millimetres. Peeling derives its meaning from the fact that the tree trunk is peeled using a lathe instead of a saw. The trunk is sliced lengthwise. The slices are joined together then glued and moulded on less costly wood or raw panels of any kind (multilaminates, particle board, waferboard, plywood, hollow core board). The use of wood veneer allows the manufacture of wood products with greater durability, more resistance to woodworms, greater consistency and more attention to visible parts. The use of wood veneer also satisfies today's need for a more ecology-conscious application of wood resources.

6 Hollow

Core board panel made by gluing two multilaminates (usually 4 mm thick) on a frame of spruce mouldings or other common wood. The external surfaces can be veneered or lacquered. Inside the interspace in the vertical mouldings, the large panels contain plywood to stiffen the surface. This method of construction allows panels to be created that add strength together with lightness, proving to be ideal, for

example, for wardrobe doors.

7 Faced panel

A panel composed of wood particles and covered with a cellulose base material (paper), sheets of polymer (PVC, veneer, ABS, etc.) or with melamine resins.

8 Glossy/matt/semi-gloss lacquered

Panels of polyesterized particle board on the front side, faced and then lacquered on both sides with polyurethane polymer-based paint having a high molecular weight. The panels are dimensionally stable.

9 Melamine

A hardening synthetic resin obtained from polycondensation of formaldehyde. It is a colourless, odourless resin that is resistant to water, chemicals, abrasion and heat and which has particular transparency under light.

10 ABS

(Acrylonitrile Butadiene Styrene) A synthetic thermosetting plastic resin with good resistance to acids. It repels dust and cannot warp. For these reasons, ABS is used in the manufacture of edges and sheets for surface coating.

11 Glass

Common glass is composed almost exclusively of silica, the same substance as quartz. In its purest state, glass is transparent, relatively hard, almost inert from a chemical and biological standpoint and presents a very smooth surface. Glass is available in a wide range of finishes and colours for interior decoration. It is possible to circumvent its intrinsic fragility by using chemical treatments (adding other minerals to the compound) or physical processes, such as tempering.

12 Tempered glass

Glass subjected to a thermal tempering process, heated at 640° and rapidly cooled by air jets. A highly brittle sheet of glass with high residual stress and enhanced strength is obtained using this process. When broken, tempered glass shatters into pebble-like pieces without sharp edges.

13 Aluminum

A silvery, highly ductile metal. Its chief properties are resistance to corrosion, tensile strength and it is light weight. These properties are ideal for manufacturing durable yet lightweight frame components. Raw aluminium can be worked using several different processing techniques such as fusion,

forging or pressing.

14 Steel

An iron alloy with a carbon content not exceeding 2.11%. Stainless steel is the name currently used for steel that has a high chromium content for its rust resistant properties when exposed to air and water.

15 Methacrylate

PMMA (Polymethyl Methacrylate), a plastic material formed from polymers of methyl methacrylate, methacrylic acid ester.

The extruded surface is further transformed: this step is called thermoforming, a technology that allows us to engrave the smooth sheet and to imprint the decoration.

This material is resistant to breakage, shocks, blows, weather and ageing.

16 Leather

Leather is a protein material derived from the hides and skins of cattle. Processing is referred to as tanning and consists of eliminating the outermost layer of skin and connective tissue (hypodermis). The most important layer is the dermis, consisting of fibrous fascicles of connective and elastic tissue. The upper portion of the dermis, called the grain, is considered to be the highest grade of leather, called "full grain".

17 Tecnocover

Tecnocover is a general purpose material, made up of 20% scrap leather, 55% polyurethane and 25% cotton.

Scraps from the processing of natural leather are finely chopped and mixed with rubber, latex and other synthetic aggregates.

Sheets of tecnocover can undergo various finishing processes, in order to render them as similar as possible to the corresponding natural version.

One specifically important process is embossing, whereby the material is impressed with a specific pattern that imitates the grain of natural leather.

Recommendations to keep your product looking its best over the years

The following instructions, broken down by material, provide the best recommendations for preserving your Poliform product for years to come. Use only recommended cleaning products and avoid harsh or abrasive detergents. Proper care will enable you to enjoy your quality Poliform product for many years.

Care of wood and wood veneer parts

We advise to use a neutral detergent. Avoid products containing acetone, thinners, ammonia, abrasive detergents or furniture wax.

Caution: the surface of the wood is treated to resist moderate amounts of grease and dirt. In addition, surface coatings contain water-resistant and anti-yellowing agents. However, avoid exposing surfaces to scoring or high temperature.

Care of lacquered panels

We advise to use a neutral detergent, avoid products containing acetone, thinners, ammonia, abrasive detergents or furniture wax.

Warning: during initial cleaning, the cloth may pick up some colour. This is a physiological phenomenon and is linked to the presence of paint powders that come to the surface during the drying process: once it is eliminated, you won't see it again.

Care of the particle board panels faced with melamine

We advise to use a neutral detergent. Avoid products containing acetone, chlorine, thinner or abrasive cleaners.

Care of glass panels

Use vinegar diluted in abundant water or glass cleaning products.

Warning: in the event that glass is mounted in an aluminum frame, avoid alcohol or ammonia, which may damage the frame.

Care of panel in methacrylate

We recommend to use only neutral detergent or degreaser with water, with a soft cloth. Avoid the use of alcohol-based substances (for example a detergent for cleaning windows that does not contain alcohol). We recommend the application of an antistatic spray for furniture without alcohol, to improve surface resistance. Leave to dry for 24 hours.

Care of hide

Use a felt or soft wool cloth. Apply leather cream only if necessary. Occasional stains can be removed if they are wiped up immediately with an absorbent cloth. Do not rub the stain but gingerly blot starting from the edge of the stain and work inwards.

Avoid any type of aggressive (such as solvents) or abrasive product. Never steam clean. Do not use shoe-cleaning products.

Care of tecnocover

Routine cleaning can be done using a vacuum cleaner with a soft brush attachment, being as gentle as possible. After vacuuming, you can wipe down tecnocover surfaces with a cloth moistened with lukewarm water and carefully wrung dry.

Any stains should be removed as quickly as possible, using an absorbent cloth. Do not rub too energetically.

We recommend a conditioning treatment every six months, using specific products readily available on the market.

Care of hinges, drawer slides, and metal parts

Lubricate with any product widely available on the market. Use lubricant periodically on hinges and drawer slides before cleaning to remove possible dust.

For metal parts, simply wipe down periodically with a damp cloth.

Avoid any kind of abrasive cleaning product.

Disposal

Poliform recommends that you do not dispose of your product in the outdoors. Because of our manufacturing technology and the routine use of recyclable materials, discarded Poliform products can be re-used in the manufacturing process. For this reason, drop off your Poliform product at the waste disposal centers within your municipality.

MATERIAL TECHNICAL DESCRIPTIONS

Senzafine wardrobes and walk-in closet

Materials used

- 1 Central side
Material: panel of wooden particles faced with melamine
Thickness: 25 mm
Edge: ABS
- 2 Lateral side
Material: panel of wooden particles
Inner side finish: melamine
External side:
- Veneered
- Faced with melamine
- Faced with melamine lacquered
- Panel of wooden particles with white mirror
- Panel of wooden particles with hde applied
- Panel of wooden particles with tecnocover grain applied
Edge: ABS
Thickness: 25 mm
- 3 Walk-in closet side
Material: panel of wooden particles faced with melamine
Thickness: 35 mm
Edge: ABS
Features: We don't recommend to apply doors later.
- 4 Lateral/central frame side
Material: aluminium painted frame
Thickness: 25 mm
- 5 Lateral/central glass side
Material: aluminium painted frame
Glass: tempered glass
Thickness frame: 25 mm
Thickness glass: 4 mm
- 6 Base/top
Material: panel of wooden particles faced with melamine
Thickness: 35 mm
Edge: ABS
- 7 Standard plinth
Material: aluminium painted
- 8 Optional plinth
Material: aluminium painted
- 9 Back panel
Material: panel of wooden particles faced with melamine
Thickness: 10 mm
- 10 Glass back panel
Material: tempered glass
Thickness: 5 mm
- 11 Roller back panel
Material: panel of wooden particles faced with methacrylate
Thickness: 10 mm
- 12 Skin back panel
Material: panel of wooden particles faced with melamine and lacquered

- Thickness: 10 mm
- 13 Shelf/chest of drawers top/laundry basket
Material: panel of wooden particles faced with melamine
Spessore: 35 mm
Edge: ABS
 - 14 Shelf/chest of drawers top with front
Material: panel of wooden particles faced with melamine
Thickness: 35 mm
Lateral and back edge: ABS
Front edge: aluminium painted
 - 15 Shelf/chest of drawers top in tecnocover grain with front
Material: panel of wooden particles faced with melamine covered with tecnocover grain
Thickness: 35 mm
Frame: aluminium painted
 - 16 Shelf/chest of drawers top in tecnocover grain with frame
Material: panel of wooden particles faced with melamine covered with tecnocover grain
Thickness: 35 mm
Lateral and rear edge: ABS
Front edge: aluminium painted
 - 17 Glass shelf/glass shelf with light
Material: tempered glass
Thickness: shelf 35 mm - glass 4 mm
Frame: aluminium painted
 - 18 Inclined shoe shelf
Material: panel of wooden particles faced with melamine
Thickness: 35 mm
Lateral and rear edge: ABS
Front edge: aluminium painted 4 mm
Features: 1-2 painted skirting profiles 4 mm (according to the depth)
 - 19 Chest of drawers structure
Material: panel of wooden particles faced with melamine
Thickness: 15 mm
Rdge: ABS
Features: supplied with PVC back spacers
 - 20 Chest of drawers fillers
Material: panel in medium density fibre, faced with melamine
Thickness: 35 mm
 - 21 Wooden drawer/laundry baskets front
Material: panel of wooden particles faced with melamine
Thickness: 25 mm
Edge: ABS
Features: Track handle aluminium painted, Step handle aluminium painted or tecnocover grain
 - 22 Glass drawer front
Material: glass

- Thickness: 4 mm
Frame: panel in medium density fibre faced with melamine
Features: handle in painted aluminium
- 23 Roller drawer front
Material: panel of wooden particles faced with methacrylate
Thickness: 25 mm
Edge: ABS
Features: Track handle aluminium painted, Step handle aluminium painted or tecnocover grain
 - 24 Drawer structure
Material: panel of wooden particles faced with melamine
Thickness: 14 mm for the sides, 12 mm for the back and 6 mm for the bottom
Edge: ABS
Features: full extraction metal runners with ball bearings and soft closing
 - 25 Tray
Front: panel of wooden particles faced with melamine
Thickness: 4 mm sides, 15 mm back and 15 mm bottom
Bottom: panel of wooden particles faced with melamine or covered in tecnocover grain
Sides: aluminium painted
Edge: ABS
Features: the "shoes holder" option is supplied with round bars in aluminium painted
 - 26 Trousers holder
Front: panel of wooden particles faced with melamine
Edge: ABS
Sides: panel in medium density fibre, faced with melamine
Back: solid wood panel faced with melamine
Features: it can be accessorized with bars, tray with partitions
 - 27 Shirt holder / bag holder / shoe holder
Structure: panel of wooden particles faced with melamine
Shelves: panel of wooden particles faced with melamine or tecnocover grain
Thickness: 15 mm
Edge: ABS
Features: it can be accessorized with boxes
 - 28 Jewellery drawer
Structure: cardboard covered in fabric
 - 29 Dresser valet
Material: lacquered panel in medium density fibre
Thickness: 10 mm
Bottom: panel of wooden particles faced with melamine covered in tecnocover grain

- Features: it can be accessorized with men/women wrist watch tray, cufflink/ ring tray, earrings tray and open compartments
- 30 Extractable dresser valet
Material: fixed structure: c-shaped metal sheet covered in tecnocover grain
Material: extractable structure: lacquered panel in medium density fibre
Thickness: fixed structure 3 mm
Thickness: extractable structure 10 mm
Bottom: extractable structure: panel of wooden particles faced with melamine
Features: it can be accessorized with men/women wrist watch tray, cufflink/ ring tray, earrings tray and open compartments
 - 31 Doors - general features
Leaf door: closing by means of spring hinges
Sliding door: slides by means of a trolley inserted in the upper track.
Coplanar door: sliding movement by mechanism inserted on the top and on the base. When closed the doors are all aligned.
 - 32 Display case chest of drawers
Structure: panel in medium density fibre faced with melamine
Fronts: panel in medium density fibre faced with melamine and lacquered
Top: fumé glass with silk-screen printing (4 mm)
Features: drawers bottoms covered with tecnocover grain, equipped with inner light

Senzafine wardrobes and walk-in closet

Materials used

- 1 Club door
Material: panel of wooden particles faced with melamine
Thickness: 25 mm
Edge: ABS same finishing of the front
- 2 Graffiti door
Material: panel of wooden particles faced with melamine
Thickness: 25 mm
Edge: ABS same finishing of the front
- 3 Sand door
Material: panel of wooden particles faced with melamine
Thickness: 25 mm
Edge: ABS same finishing of the front
- 4 Canvas door
Material: panel of wooden particles faced with melamine
Thickness: 25 mm
Edge: ABS in contrast colour
- 5 Silk door
Material: panel of wooden particles faced with melamine
Thickness: 25 mm
Edge: ABS same finishing of the front
- 6 Skin door
Material: panel of wooden particles faced with melamine lacquered colours
Thickness: 25 mm
Vertical profile: aluminium painted
- 7 New Entry lacquered door
Material: panel of wooden particles faced with melamine
Finishing: lacquered colours
Thickness: 25 mm
- 8 New Entry wooden door
Material: panel of wooden particles veneered
Edge: veneered
Thickness: 25 mm
- 9 Plus lacquered door
Material: panel of wooden particles faced with melamine
Finishing: lacquered colours
Plus handle: aluminium painted
Thickness: 25 mm
- 10 Plus wooden door
Material: panel of wooden particles veneered
Edge: veneered
Plus handle: aluminium painted
Thickness: 25 mm
- 11 Stratus door
Material: panel of wooden particles veneered
Edge: veneered
Rail handle: aluminium painted
Thickness: 25 mm
- 12 Ego door
Material: tempered glass thickness 4 mm
Frame: aluminium painted
Thickness: 42 mm
- 13 Fitted door
Material: tempered glass thickness 4 mm
Profile: aluminium painted
Thickness: 28 mm
- 14 Ocean door
Material: panel of wooden particles with applied glass/mirror
Profile: aluminium painted
Thickness: 25 mm
- 15 Cover door tecnocover grain
Material: panel of wooden particles
Finishing: tecnocover grain
Frame: aluminium painted
Cover handle: aluminium painted covered with tecnocover grain
Thickness: 25 mm
- 16 Cover door fabric
Material: panel of wooden particles
Finishing: fabric
Frame: aluminium painted
Fitted handle: aluminium painted
Thickness: 25 mm
- 17 Cover door glass
Material: panel of wooden particles with glass
Frame: aluminium painted
Fitted handle: aluminium painted
Thickness: 25 mm
- 18 Bangkok door
Material: honeycomb panel covered
Finishing: hide
Bangkok handle: aluminium painted
Thickness: 30 mm

Assembling in height

An extra space of 15 mm is required for wardrobes with leaf doors, of 20 mm for wardrobes with folding/leaf doors with lights and an extra space of 60 mm for wardrobes with sliding/coplanar doors. In case of sliding doors the overall height of the wardrobe is 20 mm more than what is specified in this price list because of the upper trolley for the outer door. With coplanar doors the wardrobe total height is 50 mm higher than the dimensions indicated in the price list.

Assembling in width

A lateral space of 40 mm is required for all the three typologies of doors. For any different need (that must be specified in the order) a special assembling will be arranged.

Assembling instructions

The simultaneous opening of all the mirror doors could cause the fall of the empty wardrobe. We therefore suggest fixing the wardrobe to the wall.

Adjustments and levelling

The levelling of the composition is obtained by using the adjustable feet assembled on the bases.

Allowances

Elements with wooden finishing may undergo colours changes with the time, due to the light as well as to the ageing of the wood. In case of supplementary orders slight tone differences might be possible, which will anyway soften after some time.

Ubik walk-in closet

Materials used

- 1 Back panel
Structure: panel of wooden particles faced with melamine panel of wooden particles with applied glass/mirror
Thickness: 25 mm
Edge: ABS
Features: supplied with aluminum profile with rack to hook shelves. Adjustable feet.
- 2 Skin back panel
Structure: panel of wooden particles faced with melamine matt lacquered colours
Thickness: 25 mm
Features: supplied with profile in aluminium painted with rack for shelves fixing. Adjustable feet.
- 3 Roller back panel
Structure: panel of wooden particles faced with methacrylate
Thickness: 25 mm
Features: supplied with profile in aluminium painted with rack for shelves fixing. Adjustable feet.
- 4 Glass back panel
Structure: panel of wooden particles with glass or mirror
Thickness: 25 mm
Features: supplied with profile in aluminium painted with rack for shelves fixing. Adjustable feet.
- 5 Shelf/chest of drawers top in melamine
Material: panel of wooden particles faced with melamine
Edge: ABS
Thickness: 35 mm
Features: supplied with iron plates painted for back panel fixing.
- 6 Shelf/chest of drawers top in melamine with front
Material: panel of wooden particles faced with melamine
Thickness: 35 mm
Lateral edge: ABS
Front edge: aluminium painted
Features: handle in painted aluminium painted for back panel fixing
- 7 Shelf/chest of drawers top in tecnocover grain with front
Material: panel of wooden particles faced with melamine
Finishing: tecnocover grain
Thickness: 35 mm
Front: aluminium painted
Features: supplied with iron plates painted for back panel fixing
- 8 Shelf/chest of drawers top in tecnocover grain with frame
Material: panel of wooden particles faced with melamine
Finishing: tecnocover grain
Thickness: 35 mm
Front: aluminium painted
Features: supplied with iron plates painted for back panel fixing
- 9 Shelf in glass/shelf in glass with light
Material: tempered glass
Thickness: 35 mm – glass 4 mm
Frame: aluminium painted
- 10 Inclined shoe shelf
material: panel of wooden particles faced with melamine
Thickness: 35 mm
Lateral and rear edge: ABS
Front edge: aluminium painted 4 mm
Features: painted shoe profile 4 mm
- 11 Base
Material: panel of wooden particles faced with melamine
Edge: ABS
Thickness: 35 mm
Features: supplied with plinth in painted aluminium and adjustable feet
- 12 Standard plinth
Material: painted aluminium
- 13 Optional plinth
Material: painted aluminium
- 14 Chest of drawers structure
Material: panel of wooden particles faced with melamine
Thickness: 10/15/25 mm
Edge: ABS
Features: available also with wheels
- 15 Wooden drawer/laundry basket
Material: panel of wooden particles faced with melamine, MDF panel with melamine
Thickness: 25 mm
Edge: ABS
Features: Track handle aluminium painted, Step handle aluminium painted or tecnocover grain
- 16 Glass drawer front
Material: glass
Thickness: 4 mm
Frame: birch plywood melamine
Features: handle in painted aluminium
- 17 Roller drawers front
Material: panel of wooden particles faced with methacrylate
Thickness: 25 mm
Edge: ABS
Features: Track handle aluminium painted, Step handle aluminium painted or tecnocover grain
- 18 Trouser holder
Front: panel of wooden particles faced with melamine
Edge: ABS
- 19 Drawer structure
Material: panel of wooden particles faced with melamine
Thickness: 14 mm for the sides, 12 mm for the back and 6 mm for the bottom
Edge: ABS
Features: full extraction metal runners with ball bearings and soft closing
- 20 Tray
Front: panel of wooden particles faced with melamine
Thickness: 4 mm sides, 15 mm back panel and 15 mm bottom
Bottom: panel of wooden particles faced with melamine or covered in tecnocover grain
Sides: aluminium painted
Edge: ABS
Features: the "shoes holder" option is supplied with round bars in aluminium painted
- 21 Dresser valet
Material: mat lacquered panel in medium density fibre
Thickness: 10 mm
Bottom: panel of wooden particles faced with melamine covered in tecnocover grain
Features: it can be accessorized with men/women wrist watch tray, cufflink/ ring tray, earrings tray and open compartments
- 22 Extractable dresser valet
Material: fixed structure: c-shaped metal sheet covered in tecnocover grain
Material: extractable structure: mat lacquered panel in medium density fibre
Thickness: fixed structure 3 mm, extractable structure 10 mm
Bottom: extractable structure: panel of wooden particles faced with melamine
Features: it can be accessorized with men/women wrist watch tray, cufflink/ ring tray, earrings tray and open compartments
- 23 Shirt holder/handbag holder/shoe holder
Structure: panel of wooden particles faced with melamine
Shelves: panel of wooden particles faced with melamine or covered in tecnocover grain
Thickness: 15 mm
Edge: ABS
Features: it can be equipped with boxes
- 24 Jewellery drawer
Structure: cardboard covered in fabric
- 25 Display case chest of drawers
Structure: panel in medium density fibre faced with melamine
Front: panel in medium density fibre faced with melamine and lacquered
Top: glass fumé with silkscreen printing (4 mm)
Features: drawers bottom covered in tecnocover grain accessorized with inner light

Lexington walk-in closet

Materials used

- 1 Upright
Material: aluminium painted
Thickness: 32 mm
Features: upper and lower adjustments
- 2 Shelf/chest of drawers top in melamine with fronts
Material: panel of wooden particles faced with melamine
Thickness: 35 mm
Lateral: edge ABS
Front: aluminium painted
Features: supplied with painted iron plates to attach to the upright
- 3 Shelf/chest of drawers top in tecnocover grain with frame
Material: panel of wooden particles faced with melamine
Finishing: tecnocover grain
Thickness: 35 mm
Frame: aluminium painted
Features: supplied with painted iron plates to attach to the upright
- 4 Shelf in glass/glass with light
Material: glass fumé
Thickness: shelf 35 mm (glass 4 mm)
Frame: aluminium painted
Features: supplied with painted iron plates to attach to the upright
- 5 Chest of drawers structure
Material: panel of wooden particles faced with melamine
Thickness: 15 mm - 25 mm back panel
Edge: ABS
- 6 Wooden drawer front
Material: panel of wooden particles faced with melamine
Thickness: 25 mm
Edge: ABS
Features: Track handle painted aluminium, Step handle painted aluminium or tecnocover grain
- 7 Glass drawer front
Material: glass reflecting fumé
Thickness: front 25 mm (glass 4 mm)
Frame: panel in medium density fibre faced with melamine
Features: handle in painted aluminium
- 8 Roller drawer front
Material: panel of wooden particles in melamine faced with methacrylate
Thickness: 25 mm
Edge: ABS
Features: Track handle aluminium painted, Step handle aluminium painted or tecnocover grain
- 9 Drawers structure
Material: panel of wooden particles faced with melamine
Thickness: 14 mm sides, 12 mm back panel and 6 mm bottom
Edge: ABS
Features: metal runners with ball bearings and soft closing
- 10 Tray
Front: panel of wooden particles faced with melamine
Thickness: 4 mm sides, 15 mm back panel and 15 mm bottom
Bottom: panel of wooden particles faced with melamine or covered in tecnocover grain
Sides rails: panel of wooden particles faced with melamine
Edge: ABS
Features: in the "shoe shelf" option it is supplied with small bars
- 11 Trousers hanger
Front: panel of wooden particles faced with melamine
Edge: ABS
Spondine: panel in medium density fibre faced with melamine
Back panel: panel in solid wood with melamine
Features: it can be equipped with trousers hanger, tray with partition elements
- 12 Shirt holder / bag holder / shoe holder
Structure: panel of wooden particles faced with melamine
Shelves: panel of wooden particles faced with melamine or tecnocover grain
Thickness: 15 mm
Edge: ABS
Features: it can be equipped with boxes
- 13 Hanging chest of drawers with glass top
Structure: panel in medium density fibre faced with melamine
Fronts: panel in medium density fibre faced with glossy melamine
Top: glass fumé with silkscreen printing (4 mm)
Features: drawers bottom covered in tecnocover grain colours equipped with inner light



2018
Adi Compasso D'oro
Career Award



ASSARREDO
FEDERLEGNOARREDO



Poliform Spa

via Montesanto 28

Casella postale n. 1

22044 Inverigo (CO) Italy

t +39 031 695 1

f +39 031 699 444

info.poliform@poliform.it

poliform.it