



---

## DESCRIPTION

<b>Typology</b>	Kitchen
<b>Door thickness</b>	26 mm - 1"
<b>Top thickness</b>	6-12-20-30-40-52 mm
<b>Base units opening type</b>	With profile
<b>Tall units opening type</b>	With profile and with spacer
<b>Wall units opening type</b>	With profile
<b>Upper elements for tall unit opening type</b>	With profile and with spacer

---

## DOORS

### Structure item



Phoenix handle, recess 2/5 of the width of the door



Phoenix handle, cutout over the entire width of the door

---

## FINISHES

### Structure item



Door thickness 26 mm - 1".  
Built-in handle.

---

## SHOWCASES

### Structure item



PR19 for wall units

Bronze 5051 reflective glass door with bronze painted aluminum frame. For wall units with under-cabinet profile or tip-on opening.



PR21 for columns and wall units

Door in 5059 smoked reflective glass with mocha anodized aluminum frame. For wall units opening with under-cabinet profile. For columns, opening with integrated mocha painted handle. For elements above column tip-on opening.




PR24 for columns and wall units

Door in 5059 smoked reflective glass with champagne or mocha anodized aluminum frame. For door bases with 55° shaped upper frame like Alea Pro door. For wall units with opening profile under the wall unit. For columns opening with integrated handle painted champagne or mocha. For elements above column tip-on opening.

---

## EQUIPMENT

### Drawers equipment




### Pull-out baskets equipment



---

## EQUIPPED TALL UNITS


### Structure item



---

## EQUIPPED UNITS


### Structure item




---

## CORNER SOLUTION


### Base units



### Wall units




### Tall units



---

## HIGH TALL UNITS


### Structure item



---

## OPEN UNITS


### Structure item



---

## SHAKER MODULAR BACKS


### Structure item




---

## DEEP SHAKER SYSTEM


### Deep Shaker




### Deep Shaker Wall




### Deep Shaker Plain



**Deep Shaker Move**




**Deep Shaker Island**




## SINKS AND HOBS

### Sinks




Fully flush built-in



Flush built-in - h 5/128"




Surface-mounted - h 1 1/2"



Under-top mounted

Surface-mounted

Hobs



Fully flush built-in


Flush built-in - h 50

Semi-flush built-in


---

## POLIFORM PERSONALISED HOODS


### Infinity, modular system



### Wall and island hood




### Integrated hoods



---

## WASTENINS AND SINK BASE UNITS


### Structure item




---

## LIGHTING SOLUTIONS

### Lighting on worktop




### Inner lights



## SNACK TABLES


### Structure item

Poliform\_cucine\_112022\_SNACK\_IT\_01




Blade, top thickness 40.

To be used suspended or with legs. Top and legs in solid canaletto walnut, black ash or stained black elm. The length of the rectangular snack can be customized to the centimetre. Rectangular from l 1400 to l 2700, d 900-950-1050-1150-1200-1280. Square 1500 x 1500.




Snack for tops with support frame, top thickness 52.

To be used on thick tops. 6-12-20 with aluminum support frame available for Artex, Twelve, Phoenix and Shape models. Top in gold oak, Spessart oak, gray stained oak, elm, black elm or walnut; solid canaletto walnut, black ash or stained black elm; all-colour laminate, all-colour touch laminate, embossed color lacquer, matt color lacquer or in DuPont Corian®. L up to 3000 lacquered or wooden snacks, l up to 3600 snacks in DuPont Corian®, l up to 4100 laminate snacks.




Sydney, top thickness 40.

To be used suspended or with leg. Top and leg in solid canaletto walnut, black ash or stained black elm. Sydney l 1550-1700-1850-2150 x 788, l 2450 x 895. Sydney with leg l 1850 x 925, l 2150 x 1025.



Moon, top thickness 40.

Top, legs and false leg insert in solid fossil oak, black ash or stained black elm. Revolving central top in polished and honed marble, natural stone and quartzite. Ø 1500 with two legs. Ø 1800 with three legs and integrated central swivel top.



Lama, top thickness 37.

To be used on thick tops. 6-12-20-30 40-52. Top in gold oak, Spessart oak, gray stained oak, elm, black elm or c. walnut, embossed lacquered colours, polished and honed marble, stone, Inalco MDi®, polished and micro-blasted quartzite or Dekton. Leg and tapered top support in embossed lacquered colours, matt champagne lacquer, lead, brass, bronze, aluminum and STM champagne lacquer. Ø 1200 - 1400.